

# Safety Data Sheet



## QuickBayt® Fly Bait

Version 1 / AUS  
102000027208

1/10  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

**Trade name** QuickBayt® Fly Bait  
**Product code (UVP)** 80925611

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer Cropscience Pty Ltd  
ABN 87 000 226 022  
Level 1, 8 Redfern Road  
3123 Hawthorn East  
Victoria  
Australia

**Telephone** (03) 9248 6888

**Telefax** (03) 9248 6800

**Responsible Department** 1800 804 479 Technical Information Service

**Website** [www.environmentalscience.bayer.com.au](http://www.environmentalscience.bayer.com.au)

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 1800 033 111 IXOM Operations Pty Ltd

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification in accordance with Australian GHS Regulation

Acute toxicity: Category 1  
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling according to specific Australian legislation

No hazard label for supply/use required.

#### 2.3 Other hazards

No other hazards known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Chemical nature

Imidacloprid 5 g/kg; (Z)-9-Tricosene (Muscalure) 1g/kg  
Chemical nature Granule (GR)



## QuickBayt® Fly Bait

Version 1 / AUS  
102000027208

2/10  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

Chemical Name	CAS-No.	Concentration [%]
Imidacloprid	138261-41-3	0.50
Muscalure	27519-02-4	0.10
2,6-Di-tert-butyl-4-methylphenol	128-37-0	>= 0.10 - < 0.25
Sulfuric acid, mono-C12-18-alkyl esters, sodium salts	68955-19-1	>= 1.00 - < 3.00
Other ingredients (non-hazardous) to 100%		

### SECTION 4. FIRST AID MEASURES

**If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.**

#### 4.1 Description of first aid measures

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. If symptoms persist, call a physician.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	If large amounts are ingested, the following symptoms may occur:, Dizziness, Abdominal pain, Nausea
	Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).

#### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Treatment</b>	Treat symptomatically. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.
------------------	--



## QuickBayt® Fly Bait

Version 1 / AUS  
102000027208

3/10

Revision Date: 26.10.2016  
Print Date: 26.10.2016

### SECTION 5. FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

**Suitable** Water spray, Carbon dioxide (CO<sub>2</sub>), Foam, Sand

**Unsuitable** None known.

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released:, Carbon monoxide (CO)

#### 5.3 Advice for firefighters

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

**Hazchem Code** 2Z

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid dust formation. Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Do not allow to get into surface water, drains and ground water.

#### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**Additional advice** If material is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

### SECTION 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling



**QuickBayt® Fly Bait**

Version 1 / AUS  
102000027208

4/10

Revision Date: 26.10.2016  
Print Date: 26.10.2016

- Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Avoid dust formation.
- Advice on protection against fire and explosion** Dust may form explosive mixture in air. Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition.
- Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

**7.2 Conditions for safe storage, including any incompatibilities**

- Requirements for storage areas and containers** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m <sup>3</sup> (TWA)		OES BCS*
2,6-Di-tert-butyl-4-methylphenol	128-37-0	10 mg/m <sup>3</sup> (TWA)	12 2011	AU NOEL
2,6-Di-tert-butyl-4-methylphenol	128-37-0	2 mg/m <sup>3</sup> (TLV)		OES BCS*

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**8.2 Exposure controls**

- Respiratory protection** Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

- Hand protection** Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
- Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.
- Material Nitrile rubber  
Rate of permeability > 480 min



**QuickBayt® Fly Bait**

Version 1 / AUS  
102000027208

5/10

Revision Date: 26.10.2016  
Print Date: 26.10.2016

	Glove thickness	> 0.4 mm
	Directive	Protective gloves complying with EN 374.
<b>Eye protection</b>	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).	
<b>Skin and body protection</b>	Wear standard coveralls and Category 3 Type 5 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.	
<b>General protective measures</b>	In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.	
<b>Engineering Controls</b>		
<b>Advice on safe handling</b>	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Avoid dust formation.	

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

<b>Form</b>	granular
<b>Colour</b>	light red
<b>Odour</b>	weak, characteristic
<b>pH</b>	5.5 - 6.5 at 1 % (23 °C) (deionized water)
<b>Bulk density</b>	ca. 0.542 g/ml (loose)
<b>Water solubility</b>	soluble
<b>Partition coefficient: n-octanol/water</b>	Imidacloprid: log Pow: 0.57

**9.2 Other information** Further safety related physical-chemical data are not known.

**SECTION 10. STABILITY AND REACTIVITY**

**10.1 Reactivity**

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.



## QuickBayt® Fly Bait

Version 1 / AUS  
102000027208

6/10  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

- 10.4 Conditions to avoid** Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** Store only in the original container.
- 10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

- Acute oral toxicity** LD50 (Rat) > 2,500 mg/kg
- Acute inhalation toxicity** During intended and foreseen applications, no respirable aerosol is formed.
- Acute dermal toxicity** LD50 (Rat) > 2,000 mg/kg
- Skin irritation** No skin irritation (Rabbit)
- Eye irritation** No eye irritation (Rabbit)
- Sensitisation** Non-sensitizing. (Guinea pig)  
OECD Test Guideline 406, Magnusson & Kligman test

#### Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

#### Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

#### Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

#### Assessment STOT Specific target organ toxicity – repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

Caution!

Harmful if swallowed, inhaled or absorbed through the skin., Avoid contact with skin, eyes and clothing., Wash thoroughly with soap and water after handling.

May cause slight irritation., Harmful if absorbed through skin.

#### Early onset symptoms related to exposure

Refer to Section 4



## QuickBayt® Fly Bait

Version 1 / AUS  
102000027208

7/10

Revision Date: 26.10.2016  
Print Date: 26.10.2016

### Delayed health effects from exposure

Refer to Section 11

### Exposure levels and health effects

Refer to Section 4

### Interactive effects

Not known

### When specific chemical data is not available

Not applicable

### Mixture of chemicals

Refer to Section 2.1

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

#### Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient imidacloprid.

#### Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 85 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient imidacloprid.

EC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l  
Exposure time: 24 h  
The value mentioned relates to the active ingredient imidacloprid.

#### Chronic toxicity to aquatic invertebrates

EC10 (Chironomus riparius (non-biting midge)): 0.87 µg/l  
Exposure time: 28 d  
The value mentioned relates to the active ingredient imidacloprid.

#### Toxicity to aquatic plants

IC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l  
Growth rate; Exposure time: 72 h  
The value mentioned relates to the active ingredient imidacloprid.

### 12.2 Persistence and degradability

#### Biodegradability

Imidacloprid:  
Not rapidly biodegradable

#### Koc

Imidacloprid: Koc: 225

### 12.3 Bioaccumulative potential

#### Bioaccumulation

Imidacloprid:  
Does not bioaccumulate.

### 12.4 Mobility in soil

#### Mobility in soil

Imidacloprid: Moderately mobile in soils

### 12.5 Other adverse effects



## QuickBayt® Fly Bait

Version 1 / AUS  
102000027208

8/10

Revision Date: 26.10.2016  
Print Date: 26.10.2016

**Additional ecological information**                      No other effects to be mentioned.

### SECTION 13. DISPOSAL CONSIDERATIONS

Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory Government Regulations. DO NOT burn empty containers or product.

### SECTION 14. TRANSPORT INFORMATION

**ADG**

UN number	<b>3077</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)
Hazchem Code	2Z

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.

**IMDG**

UN number	<b>3077</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)

**IATA**

UN number	<b>3077</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE )





## QuickBayt® Fly Bait

Version 1 / AUS  
102000027208

9/10

Revision Date: 26.10.2016  
Print Date: 26.10.2016

### SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994  
Australian Pesticides and Veterinary Medicines Authority approval number: 57892

### SECTION 16. OTHER INFORMATION

**Trademark information** QuickBayt® is a registered trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

#### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of

# Safety Data Sheet



## QuickBayt® Fly Bait

Version 1 / AUS  
102000027208

10/10

Revision Date: 26.10.2016  
Print Date: 26.10.2016

	time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS